Sendmail v8.13.1 + libSPF v1.0-RC3 HOWTO

by James Couzens <jcouzens@cookietins.ca>
Updated: 2004-10-15

jamesjcook1 # apt-ftp i libsql-ruby1.8 libsql-ruby1.8-dbd-sqlite2
jamesjcook1 # apt-get dist-upgrade
jamesjcook1 # apt-get install libtool
jamesjcook1 # configure; emake; emp

```
checking for a BSD-compatible install... /usr/install -c
checking whether build environment is sane... yes
checking for gawk... gawk
checking whether make sets $(MAKE)... yes
checking for gcc... gcc
checking for C compiler default output file name... a.out
checking whether the C compiler works... yes
checking whether we are cross compiling... no
checking for suffix of executables...
checking for suffix of object files... o
checking whether we are using the GNU C compiler... yes
checking whether gcc accepts -g... yes
checking for gcc option to accept ANSI C... none needed
checking for style of include used by make... GNU
```

libsPF: no need to paste all of the 'configure' output!

```
config.status: creating Makefile
config.status: creating src/Makefile
config.status: creating src/libspf2/Makefile
config.status: creating src/spfquery/Makefile
config.status: creating src/spftest/Makefile
config.status: creating config.h
config.status: executing depfiles commands
config.status: executing depfiles commands
config.status: creating Makefile
config.status: creating src/Makefile
config.status: creating src/libspf2/Makefile
config.status: creating src/spfquery/Makefile
config.status: creating src/spftest/Makefile
config.status: creating config.h
config.status: executing depfiles commands
----------------------------------------------------------------------
libspf2-1.0.RC3
An ANSI C Implementation of the Sender Policy Framework

----------------------------------------------------------------------
CONFIGURE OPTIONS:  List of documented changed between versions
--enable-debug      Enable debug code (default is disabled)
--enable-gcc-warnings  Compile if how to (maintainer)
--enable-shared     Build shared libraries [default=yes]
--disable-dependency-tracking  Speeds up one-time build
--disable-libtool-lock  Avoid locking (might break parallel builds)
--with-pic          Try to use only PIC/non-PIC objects [default=use both]
--with-gnu-ld       Assume the C compiler uses GNU ld [default=no]
--disable-libtool-lock  Avoid locking (might break parallel builds)
--with-pic          Try to use only PIC/non-PIC objects [default=use both]
--with-gnu-ld       Assume the C compiler uses GNU ld [default=no]
--with-spfbin       Path to spfquery and spftest binaries
--with-spfmod       Path to Apache module
--with-spfinc       Path to Apache header files
--with-spflib       Path to Apache libraries
```